# Andhra Pradesh State Council of Higher Education

#### **Notations:**

**Change Font Color:** 

**Change Theme:** 

**Help Button:** 

**Show Reports:** 

**Change Background Color:** 

1.Options shown in green color and with ✓ icon are correct.

2.Options shown in red color and with \* icon are incorrect.

**Question Paper Name:** Mining Engineering 08th May 2024 Shift 2 **Duration:** 180 **Total Marks:** 200 **Display Marks:** No **Share Answer Key With Delivery Engine:** Yes Calculator: None Magnifying Glass Required?: No **Ruler Required?:** No **Eraser Required?:** No **Scratch Pad Required?:** No Rough Sketch/Notepad Required?: No **Protractor Required?:** No Show Watermark on Console?: Yes Highlighter: No **Auto Save on Console?** Yes

Nο

No

Nο

No

No

Show Progress Bar: No

**Is this Group for Examiner? :** No

**Examiner permission :** Cant View

**Show Progress Bar?:** No

## **Mathematics**

**Section Id:** 210688186

Section Number: 1

Mandatory or Optional: Mandatory

Number of Questions: 50

Section Marks: 50

**Enable Mark as Answered Mark for Review and** 

Yes Clear Response:

Maximum Instruction Time:

Is Section Default?: null

Question Number : 1 Question Id : 2106889407 Display Question Number : Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

If 
$$\begin{vmatrix} 15 - x & 11 & 10 \\ 11 - 3x & 17 & 16 \\ 7 - x & 14 & 13 \end{vmatrix} = 0$$
 then the value of x is

Question Number : 2 Question Id : 2106889408 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The adjoint of 
$$A = \begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & 4 \\ 1 & -2 & 1 \end{pmatrix}$$
 is

$$\begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & 4 \\ 1 & -2 & 1 \end{pmatrix}$$

$$\begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & -4 \\ 1 & -2 & 1 \end{pmatrix}$$

$$\begin{pmatrix} 3 & 0 & 6 \\ 6 & 3 & 0 \\ 9 & 6 & 3 \end{pmatrix}$$

$$\begin{pmatrix} 3 & 2 & 1 \\ 4 & 1 & -1 \\ 0 & 3 & 4 \end{pmatrix}$$

 ${\bf Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction}$ 

Time: 0

If 
$$A = \begin{pmatrix} 3 & 2 & x \\ 4 & 1 & -1 \\ 0 & 3 & 4 \end{pmatrix}$$
 is a singular matrix then the value of  $x$  is

Options:

Question Number : 4 Question Id : 2106889410 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The solution of the following simultaneous linear equations by using Cramer's rule 3x+4y+5z=18; 2x-y+8z=13; 5x-2y+7z=20 is

Question Number : 5 Question Id : 2106889411 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Options:

Question Number : 6 Question Id : 2106889412 Display Question Number : Yes Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time : 0

$$\frac{3x-1}{(x-1)(x-2)(x-3)} =$$

Options:

$$\frac{2}{x-1} + \frac{5}{x-2} - \frac{4}{x-3}$$

$$\frac{-1}{x-1} + \frac{5}{x-2} - \frac{4}{x-3}$$

$$\frac{1}{x-1} + \frac{5}{x-2} + \frac{4}{x-3}$$

$$\frac{1}{x-1} - \frac{5}{x-2} + \frac{4}{x-3}$$

Question Number: 7 Question Id: 2106889413 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

$$\frac{5x+1}{(x+2)(x-1)} =$$

$$\frac{3}{x+2} + \frac{2}{x-1}$$

$$\frac{3}{x+2} - \frac{2}{x-1}$$

$$\frac{-3}{x+2} + \frac{2}{x-1}$$

$$\frac{3}{x-2} + \frac{2}{x+1}$$

Question Number: 8 Question Id: 2106889414 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

$$cos100^{0}cos40^{0} + sin100^{0}sin40^{0} =$$

#### **Options:**

$$\frac{1}{2}$$

$$-\frac{1}{2}$$

$$\frac{1}{4}$$

Question Number : 9 Question Id : 2106889415 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If  $sin\theta = \frac{3}{5}$ ,  $\theta$  is acute, then  $2tan\theta + 3sec\theta + 4sec\theta cosec\theta =$ 

## **Options:**

-1 1. \*\*

Question Number: 10 Question Id: 2106889416 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If 
$$tan^{-1}x + tan^{-1}y + tan^{-1}z = \frac{\pi}{2}$$
 then  $xy + yz + zx = \frac{\pi}{2}$ 

## Options:

1 **≈** -1

Question Number: 11 Question Id: 2106889417 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If 
$$A = \frac{\pi}{6}$$
 and  $B = \frac{\pi}{3}$  then  $16Sin^3A + 8Cos^3B =$ 

#### **Options:**

Question Number: 12 Question Id: 2106889418 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If 
$$x + \frac{1}{r} = 2 \cos \theta$$
 then  $x^n + \frac{1}{r^n} =$ 

$$2\cos n\theta$$

$$2 \sin n\theta$$

Question Number: 13 Question Id: 2106889419 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$cos\left[sin^{-1}\left(\frac{1}{2}\right) + cos^{-1}\left(-\frac{\sqrt{3}}{2}\right)\right] =$$

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If 
$$sin\alpha = \frac{15}{17}$$
,  $cos\beta = \frac{12}{13}$  then  $sin(\alpha + \beta) =$ 

**Options:** 

Question Number: 15 Question Id: 2106889421 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If x is an acute angle and  $sin(x + 10^0) = cos(3x - 68^0)$  then x =

Question Number: 16 Question Id: 2106889422 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\tan^{-1}(2\sin 150^{\circ}) =$$

#### Options:

$$3\pi$$

$$\frac{\pi}{2}$$

$$\frac{\pi}{4}$$

Question Number: 17 Question Id: 2106889423 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The general solution of  $4\cos^2 x - 3 = 0$  is

### Options:

$$2n\pi \pm \frac{\pi}{6}$$

$$2n\pi \pm \frac{7\pi}{6}$$

$$3n\pi \pm \frac{5\pi}{6}$$

$$2n\pi \pm \frac{11\pi}{6}$$

Question Number: 18 Question Id: 2106889424 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\left(\frac{\sqrt{3}}{2} + \frac{i}{2}\right)^5 - \left(\frac{\sqrt{3}}{2} - \frac{i}{2}\right)^5 =$$

Question Number: 19 Question Id: 2106889425 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The modulus of the complex number  $(-1 - \sqrt{3}i)$  is

#### **Options:**

Question Number : 20 Question Id : 2106889426 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If the line 2y = 5x + k is a tangent to the parabola  $y^2 = 6x$  then k =

Question Number: 21 Question Id: 2106889427 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The length of the major axis of the ellipse:  $4x^2 + 3y^2 = 48$  is

Question Number : 22 Question Id : 2106889428 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The eccentricity of the hyperbola  $36x^2 - 25y^2 = 900$  is

#### **Options:**

$$\sqrt{61}$$

$$\frac{3}{2}$$

Question Number: 23 Question Id: 2106889429 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The length of the tangent from (1,3) to the circle  $x^2 + y^2 - 2x + 4y - 11 = 0$  is

#### **Options:**

2

1. 🕷

Question Number: 24 Question Id: 2106889430 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If the line  $2x + \sqrt{6}y = 2$  touches the hyperbola  $x^2 - 2y^2 = 4$  then the point of contact is

#### **Options:**

$$(4, -\sqrt{6})$$

Question Number: 25 Question Id: 2106889431 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

#### Time: 0

The equation of the parabola with focus at (-3,2) and vertex (-2,2) is

## Options:

$$x^2 - 4x + 8y + 12 = 0$$

1. \*\*

$$x^2 + 5x - 8y - 11 = 0$$
2. \*\*

$$y^2 + 4x - 4y + 12 = 0$$

$$x^2 - 4x - 8y - 12 = 0$$
4. \*\*

Question Number: 26 Question Id: 2106889432 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\lim_{x\to 0}\frac{a^x-b^x}{x}=$$

$$\log\left(\frac{b}{a}\right)$$

$$2\log{(\frac{b}{a})}$$
2. \*\*

$$\log\left(\frac{a}{b}\right)$$

$$2\log\left(\frac{a}{b}\right)$$

Question Number : 27 Question Id : 2106889433 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If 
$$x = a \left[ \cos t + \log \left( \tan \frac{t}{2} \right) \right]$$
,  $y = a \sin t$  then  $\frac{dy}{dx}$  is

**Options:** 

$$\tan t + \sin t$$

Question Number : 28 Question Id : 2106889434 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If an error of 3% occurs in measuring the side of a cube then the percentage error in its volume is

## Options:

1. \* 3

7 2. **\*** 

3 \* 8

4. 🗸

Question Number : 29 Question Id : 2106889435 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The angle between the curves  $y = x^2 + 3x - 7$  and  $y^2 = 2x + 5$  at (2,3) is

## Options:

 $\tan \theta = 2$ 

 $\sec \theta = 2$ 

 $\cos\theta=1$  3. \*\*

 $\sin \theta = 3$ 

4. 💐

Question Number: 30 Question Id: 2106889436 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If 
$$u = \log\left(\frac{x^2 + y^2}{x + y}\right)$$
 then  $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} =$ 

**Options:** 

Question Number: 31 Question Id: 2106889437 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The interval in which the function  $f(x) = x^2 \log x$  is a decreasing function is

(2 , 
$$e^{-1/2}$$
)

$$(0, e^{-1/2})$$

Question Number: 32 Question Id: 2106889438 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If 
$$z = e^{(ax+by)} f(ax - by)$$
 then  $b \frac{\partial z}{\partial x} + a \frac{\partial z}{\partial y} =$ 

**Options:** 

Question Number : 33 Question Id : 2106889439 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The volume of a spherical ball is increasing at the rate of  $4\pi$  cc/s, then the rate of increase of the radius, when the volume is  $288\pi$  cc is

#### Options:

2 cm/sec

1/36 cm/sec 2. **✓** 

3. **\*** 1/4 cm/sec

6 cm/sec

Question Number : 34 Question Id : 2106889440 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The slope of the tangent to the curve  $y = 5x^2$  at the point x = -1 is

## Options:

1. \* 10

7 2. **\*** 

-10

Question Number: 35 Question Id: 2106889441 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The extreme values of the function  $f(x) = x^3 - 9x^2 + 15x - 1$  are

#### **Options:**

Question Number : 36 Question Id : 2106889442 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

$$\int_0^2 \sqrt{4 - x^2} \ dx =$$

$$\frac{\pi}{2}$$

$$-\frac{\pi}{2}$$

Question Number: 37 Question Id: 2106889443 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The value of  $\int x\sqrt{x} dx$  on  $[0, \infty)$  is

1. 
$$\sqrt{\frac{2}{5}}x^{5/2} + c$$

$$-\frac{2}{5}x^{5/2} + c$$

$$\frac{2}{5}x^{-5/2} + c$$

$$\frac{2}{3}x^{3/2} + c$$

Question Number : 38 Question Id : 2106889444 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The area enclosed between the curve  $y^2 = 4x$  and the line x = 2y is

#### **Options:**

$$\frac{64}{5} \text{ sq. units}$$

$$\frac{64}{3}$$
 sq. units

$$\frac{65}{4}$$
 sq. units

$$\frac{63}{4}$$
 sq. units

Question Number: 39 Question Id: 2106889445 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\int \frac{dx}{\sqrt{4x^2-4x+2}} =$$

$$-\frac{1}{2}\sinh^{-1}(x-1) + c$$

$$\frac{1}{2}\sinh^{-1}(2x+1) + c$$

$$\frac{1}{2}\sinh^{-1}(2x-1) + c$$
3.

$$\frac{1}{2}\sinh^{-1}(3x-1) + c$$

Question Number: 40 Question Id: 2106889446 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\int_0^{\pi/2} \frac{\sin x}{1 + \cos^2 x} \, dx =$$

Question Number : 41 Question Id : 2106889447 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The mean value of  $\frac{1}{4+x^2}$  on [-2,2] is

#### **Options:**

$$\frac{\pi}{12}$$

$$-\frac{\pi}{2}$$

$$\frac{\pi}{10}$$

4. ❤

Question Number: 42 Question Id: 2106889448 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\int_0^{\pi/4} \sqrt{1 + \sin 2x} \ dx =$$

Question Number: 43 Question Id: 2106889449 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The area enclosed by the curves y = 3x and  $y = 6x - x^2$  is

#### **Options:**

$$\frac{7}{2}$$
 square units

$$\frac{5}{2}$$
 square units

$$\frac{3}{2}$$
 square units

$$\frac{9}{2}$$
 square units 4.

Question Number: 44 Question Id: 2106889450 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The value of 
$$\int \frac{e^x(1+x)}{(2+x)^2} dx$$
 on  $I \in \mathbb{R} \setminus \{-2\}$  is

Options:

$$\frac{e^x}{2+x} + c$$

$$-\frac{e^x}{2+x}+c$$

$$\frac{e^x}{2-x}+c$$

$$\frac{e^{3x}}{2+x}+c$$

Question Number: 45 Question Id: 2106889451 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The solution of the homogeneous differential equation  $xy^2 dy - (x^3 + y^3) dx = 0$  is

$$y^3 = -3x^3 \log(xc)$$
1. \*\*

$$y^3 = 3x^3 \log(x/c)$$

$$y^3 = 3x^3 \log(x^2 c)$$

$$y^3 = 3x^3 \log(xc)$$

Question Number: 46 Question Id: 2106889452 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The order and degree of the differential equation  $\left(\frac{dy}{dx}\right)^2 + 3\left(\frac{dy}{dx}\right) + 2 = 0$  is

#### **Options:**

Question Number: 47 Question Id: 2106889453 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The necessary and the sufficient condition for the differential equation M(x,y)dx + N(x,y)dy = 0 to be an exact equation is

**Options:** 

$$\frac{\partial M}{\partial x} = \frac{\partial N}{\partial y}$$

$$\frac{\partial M}{\partial y} = \frac{\partial N}{\partial x}$$

$$\frac{\partial M}{\partial y} = -\frac{\partial N}{\partial x}$$

$$\frac{\partial M}{\partial x} = -\frac{\partial N}{\partial y}$$

Question Number : 48 Question Id : 2106889454 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The general solution of the differential equation  $\frac{dy}{dx} + \frac{y}{x} = y^2x$  is

$$\frac{1}{xy} = -x + c$$

$$\frac{-1}{xy} = -x + c$$
2. \*\*

$$\frac{2}{xy} = x + c$$

$$\frac{1}{y} = -x + c$$

Question Number : 49 Question Id : 2106889455 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The solution of  $(D^2 + 10D + 25)y = 0$  is

#### **Options:**

$$y = e^{-5x} (c_1 x + c_2)$$

$$y = e^{3x}(c_1 \cos 2x + c_2 \sin 2x)$$

$$y = e^{3x}(c_1 \cos 2x - c_2 \sin 2x)$$

$$y = e^{3x}(c_1 \cos 3x + c_2 \sin 3x)$$

Question Number : 50 Question Id : 2106889456 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The complementary function of  $(D^2 + 3D + 2)y = 8sin5x$  is

$$c_1 e^{-x} + c_2 e^{-2x}$$

$$c_1e^x + c_2e^{2x}$$

2. \*\*

$$c_1e^{-x} + c_2e^{2x}$$

$$c_1e^{2x} + c_2e^{3x}$$
 4. \*

## **Physics**

**Section Id:** 210688187

Section Number: 2

Mandatory or Optional: Mandatory

Number of Questions: 25

Section Marks: 25

**Enable Mark as Answered Mark for Review and** 

Yes Clear Response:

Maximum Instruction Time: 0

Is Section Default?: null

Question Number: 51 Question Id: 2106889457 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If we choose velocity V, acceleration A and force F as fundamental physical quantities then how would you express angular momentum in terms of V, A and F.

$$\mathbf{F}^{\mathbf{l}} \mathbf{A}^{-\mathbf{l}} \mathbf{V}^{\mathbf{l}}$$

$$_{2.}$$
  $^{\mathbf{K}}$   $\mathbf{F}^{1}$   $\mathbf{A}^{0}$   $\mathbf{V}^{1}$ 

$$_{3.} \times \mathbf{F}^{1} \mathbf{A}^{-1} \mathbf{V}^{2}$$

Question Number : 52 Question Id : 2106889458 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If the velocity of a body at any time 't' is given by the equation  $v = A t^2 + B t + C$ , then the unit of A is

## Options:

Question Number: 53 Question Id: 2106889459 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 If |A| + |B| = |C| and A + B = C, then the angle between vectors A and B is **Options:** 1. **\*** 90° 2. **\*** 60° 3. ✔ 0° 4. **×** 120° Question Number: 54 Question Id: 2106889460 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 The area of triangle with sides as A = 2i + 3j and B = i + 4j is Options: 1. \* 5 units 2. **\*** 10 units 3. **2.5** units

4. \* 20 units

Question Number : 55 Question Id : 2106889461 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If the velocity of a body moving with uniform acceleration is doubled in t<sub>1</sub> sec and tripled in t<sub>2</sub> sec then

#### **Options:**

$$t_2 = 2 t_1$$

$$t_1 = 2 t_2$$

3. \* 
$$t_1t_2 = 2$$

$$t_2 = 3 t_1$$

Question Number : 56 Question Id : 2106889462 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If a body travels half of its total path in the last second of its fall from rest then the height of its fall is (take  $g = 10 \text{ ms}^{-2}$ )



4. **\*** 45m

Question Number : 57 Question Id : 2106889463 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

In Olympics, a javelin thrown at an angle 45° attains a maximum height of 30m, then the horizontal distance covered by the javelin is

#### **Options:**

60m

2. **✓** 120m

3. **×** 100m

4. **×** 90m

Question Number : 58 Question Id : 2106889464 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The coefficient of friction between the floor and the wooden cube of side length 0.5m is 0.2. The coefficient of friction for a wooden cube of side length 1m is

- 1. 🗸 0.2
- 2. \* 0.5
- 3. \* 0.1
- 4. \* 0.4

Question Number: 59 Question Id: 2106889465 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The force required just to move a body up an inclined plane is double the force required just to prevent the body sliding down it. If The coefficient of friction is  $1/\sqrt{3}$ , then the angle of the plane is

- 1. **\*** 45°
- 2. **\*** 30°
- 3. **\*** 53°
- 4. **✓** 60°

Question Number : 60 Question Id : 2106889466 Display Question Number : Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

If an ice block of mass 42Kg moves with initial velocity 4m/s on a rough surface of coefficient of friction 0.1. then the amount of ice melted as a result of friction before the block comes to rest is

#### Options:

1. \* 0.5 gm.

1 gm.

8 gm.

4. **\*** 16 gm.

Question Number : 61 Question Id : 2106889467 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

A ship of mass  $3 \times 10^7$  Kg initially at rest is pulled by a force of  $5 \times 10^4$  N through a distance of 3m. Assuming that the resistance due to water is negligible, the speed of the ship is

#### Options:

1. \* 2 m/s

Question Number : 62 Question Id : 2106889468 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

When a force  $\mathbf{F} = 2\mathbf{i} + 4\mathbf{j} + 5\mathbf{k}$  newton acts on a body and produces a displacement of  $\mathbf{S} = 3\mathbf{i} + 2\mathbf{j} + \mathbf{k}$  metre., then the work done by this force is

#### **Options:**

Question Number: 63 Question Id: 2106889469 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

An engine expends 45 HP in propelling a car along a level track at 15m/s. The total retarding force acting on the car is

#### Options:

Question Number: 64 Question Id: 2106889470 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Two bodies A and B of equal masses are suspended from two separate massless springs of spring constants  $K_1$  and  $K_2$  respectively. If the two bodies oscillate such that their maximum velocities are equal, the ratio of amplitude of A to that of B is

$$\frac{K_2}{K_1}$$

$$\sqrt{\frac{K_2}{K_1}}$$

$$\sqrt{\frac{K_1}{K_2}}$$

Question Number: 65 Question Id: 2106889471 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

A block is on a piston which is moving vertically with a SHM of period 1sec. The amplitude of the motion at which block and the piston will separate is  $(take g = 10 \text{ ms}^{-2})$ 

#### **Options:**

Question Number : 66 Question Id : 2106889472 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

A seconds pendulum is working in a lift. If the lift begins to fall freely, then what will be the time period of the pendulum in this case


- 2. **\*** 1 sec
- 3. \* 0
- 4. <

Question Number: 67 Question Id: 2106889473 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

A tuning fork of frequency 90 hertz is sounded and moving towards an observer with a velocity equal to one-tenth the velocity of sound; the frequency of the note heard by the observer is

#### **Options:**

Question Number : 68 Question Id : 2106889474 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0



Question Number : 70 Question Id : 2106889476 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The equation of state corresponding to 14g of nitrogen(N<sub>2</sub>) at pressure P and temperature T, when occupying a volume V, will be (R is universal gas constant)

#### **Options:**

$$PV = \frac{1}{2} RT$$

$$PV = \frac{1}{4} RT$$

Question Number: 71 Question Id: 2106889477 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

A vessel contains certain quantity of gas at a pressure of 80 cm of Hg. If 2/5<sup>th</sup> of the mass of gas leaks out at the same temperature, then the pressure of remaining gas is

Question Number: 72 Question Id: 2106889478 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

An ideal diatomic gas is heated at constant pressure. The fraction of the heat energy supplied to increase the internal energy of the gas is

#### **Options:**

$$4. \checkmark \frac{\frac{5}{7}}{7}$$

Question Number: 73 Question Id: 2106889479 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

#### Time: 0

The distance between the atoms of a diatomic gas remains constant. Then its molar specific heat at constant volume is

#### Options:

$$1. \checkmark \frac{\frac{5}{2}R}{}$$

$$\frac{3}{2}R$$

$$\frac{1}{2}R$$

Question Number : 74 Question Id : 2106889480 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

In photo electric effect the energy of the emitted electrons is

- Larger than that of incident photon
- 2. Smaller than that of incident photon
- Same as that of incident photon

Proportional to the intensity of incident light

Question Number: 75 Question Id: 2106889481 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

In water-air system for which colour the critical angle is maximum?

#### **Options:**

1. ✓ Red

2. \* Violet

Yellow

Same for all colours

# **Chemistry**

**Section Id**: 210688188

Section Number: 3

Mandatory or Optional: Mandatory

Number of Questions: 25

Section Marks: 25

**Enable Mark as Answered Mark for Review and** 

Yes

**Clear Response:** 

Maximum Instruction Time :

null

0

Is Section Default?:

Question Number : 76 Question Id : 2106889482 Display Question Number : Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

The total number of 'm' values possible for a sublevel with 1=3 is

#### Options:

<sub>1 \*</sub> 3

5

3. 🗸 7

1 \*

Question Number: 77 Question Id: 2106889483 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The value of Rydberg constant for hydrogen atom (R<sub>H</sub>) (in m<sup>-1</sup>) is

#### Options:

1.09 x 10<sup>-5</sup>

$$1.09 \times 10^{-7}$$

$$1.09 \times 10^7$$

Question Number: 78 Question Id: 2106889484 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In which of the following, the orbitals are correctly arranged in the order of increasing energy?

**Options:** 

Question Number: 79 Question Id: 2106889485 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

# Time: 0 Identify the molecule in which central atom has octet of electrons. **Options:** H<sub>2</sub>O BeCl<sub>2</sub> BCl<sub>3</sub> PC15 Question Number: 80 Question Id: 2106889486 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 The incorrect statement about an ionic compound is **Options:** It is readily soluble in water It is a conductor in solid state

It has non directional ionic bond

It has high melting point

Question Number: 81 Question Id: 2106889487 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The weight of 0.01 moles of KClO<sub>3</sub> (in g) is (K = 39u, Cl = 35.5 u, O = 16u)

#### **Options:**

Question Number : 82 Question Id : 2106889488 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

100 ml of 0.1M HCl is mixed with 100 ml of 0.1M H<sub>2</sub>SO<sub>4</sub> and the solution is diluted to 1.0 L. the Molarity of the final solution is

$$0.01\,\mathrm{M}$$

Question Number: 83 Question Id: 2106889489 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The normality of 5.3% (w/v) solution of Na<sub>2</sub>CO<sub>3</sub> is (Na = 23u, C = 12u, O = 16u)

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Identify the substance which can act only as Lewis acid

#### Options:

HCl

1. 🤻

AlCl<sub>3</sub>

2. 🗸

NH<sub>3</sub>

 $H_2O$ 

4. 🗱

Question Number: 85 Question Id: 2106889491 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

At 25°C, 4.0 g of NaOH is Present in 2.0 L solution. The ionic product of water (in mol²/L²) at that temperature is

Question Number : 86 Question Id : 2106889492 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Which of the following is not a strong electrolyte?

#### **Options:**

Question Number : 87 Question Id : 2106889493 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

How many grams of copper is deposited on cathode, when 0.5F current is passed through 100 ml of  $0.1 \text{ M CuSO}_4$  solution? (Molecular Weight of  $\text{CuSO}_4 = 63.5\text{u}$ )

#### **Options:**

- 63.5
- 16.35
- 15.875
- 4. \* 31.75

Question Number: 88 Question Id: 2106889494 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The electrolyte commonly used in salt bridge is

#### **Options:**

- ZnCl<sub>2</sub>
- KCl
  - $MgCl_2$

3. 🍍

4. 3

Question Number : 89 Question Id : 2106889495 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

At 25°C, the emf of the cell  $Zn|Zn^{2+}(1M)||Cu^{2+}(1M)||Cu$  is \_\_\_

(Given: 
$$E_{Zn^{2+}}^0|\text{Zn} = -0.76 \text{ V & } E_{Cu^{2+}}^0|\text{Cu} = +0.34 \text{ V}$$
)

Options:

Question Number: 90 Question Id: 2106889496 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Water gets permanent hardness due to

KC1

MgCl₂

AlCl<sub>3</sub>

Question Number: 91 Question Id: 2106889497 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

2.43 g of Ca (HCO<sub>3</sub>)<sub>2</sub> (molecular weight is 162u) is present in 20L water sample.

The degree of hardness of water (in mg/l) is\_\_

**Options:** 

1. \* 150

75

3. **×** 200

4. \* 125

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

In softening of hardwater by ion exchange resin method, the cation exchange resin contains

#### Options:

-COOH group

-OH group

-NH<sub>3</sub>OH group

-Al<sub>2</sub>Si<sub>2</sub>O<sub>8</sub> group

Question Number: 93 Question Id: 2106889499 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Corrosion is

#### Options:

A chemical process

An electrical process

2. 💥

An electrochemical process

A physical process

Question Number: 94 Question Id: 2106889500 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Galvanization is applying a coating of

#### **Options:**

1. Zn

Pb

3. \* Cr

4. \* Cu

Question Number: 95 Question Id: 2106889501 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The hetero atom present in neoprene is

- 1. **\*** S
- 2. **\*** O
- 3. **✔** Cl
- 4. **¥** F

Question Number: 96 Question Id: 2106889502 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The monomer of Teflon is

$$C_2F_4$$

$$C_2F_6$$

Question Number: 97 Question Id: 2106889503 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The structure of the monomer of natural rubber is

#### **Options:**

1. \*

3. 🕷

$$C_6H_5$$
 $|$ 
 $H_2C = C - CH = CH_2$ 

4. 🍝

Question Number : 98 Question Id : 2106889504 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The major components of producer gas are

#### Options:

CO, H<sub>2</sub>

2. **✔** CO, N<sub>2</sub>

3. \* CH<sub>4</sub>, CO

CH<sub>4</sub>, N<sub>2</sub>

Question Number : 99 Question Id : 2106889505 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Depletion of ozone layer causes

#### Options:

Forest fires

Eutrophication

2. 💥

**Bio-Magnification** 

3. \$

# Skin Cancer

Question Number: 100 Question Id: 2106889506 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

Which of the following is a secondary pollutant?

#### **Options:**

CO<sub>2</sub>

2. **¥** SO<sub>2</sub>

Peroxyacetyl nitrate

NO<sub>2</sub>

# **Mining Engineering**

**Section Id:** 210688189

Section Number: 4

Mandatory or Optional: Mandatory

Number of Questions: 100

Section Marks: 100

**Enable Mark as Answered Mark for Review and** 

**Clear Response:** 

Yes

**Maximum Instruction Time:** 

0

Is Section Default?:

null

Question Number: 101 Question Id: 2106889507 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

In shaft sinking, the Pumps are generally used to deal the water if quantity exceeds

#### **Options:**

72 lit/min

80 lit/min

15 lit/min

100 lit/min

Question Number: 102 Question Id: 2106889508 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

What capacity of forcing fan is used for ventilation, if the depth of sinking shaft exceeds 25m?

#### **Options:**

250 m<sup>3</sup>/min

1. 38

Question Number: 103 Question Id: 2106889509 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In Diamond drilling, what is the pressure acting on diamonds in drill bit?

#### **Options:**

Question Number: 104 Question Id: 2106889510 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

On operation, what is the number of revolutions per minute for a saw toothed crown drill bit? Options: 25 to 30 5 to 10 20 to 25 40 to 55 Question Number: 105 Question Id: 2106889511 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 In opencast mine, no work shall be done within a distance of \_\_\_\_\_from mine boundary. **Options:**  $7.5 \, \mathrm{m}$ 15 m

30 m

4. **\*** 45 m

Question Number: 106 Question Id: 2106889512 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the concentration of Ammonium Nitrate in first commercial slurry explosive?

#### **Options:**

- 1. \* 20%
- 2. \* 80%
- 3. \* 15%
- 4. 4 65%

Question Number: 107 Question Id: 2106889513 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the Velocity of Detonation (VOD) of a detonating fuse?

- 1. ✓ 6500 m/sec
- 2000 m/sec
- 3. **≈** 7000 m/sec

4. \* 5000 m/sec

Question Number: 108 Question Id: 2106889514 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

For a degree II gassy seam, what is the maximum permissible P3- Permitted explosive

charge per hole for solid blasting?

#### **Options:**

Question Number: 109 Question Id: 2106889515 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Which science deals with the study of remnants of ancient animals and plants?

#### **Options:**

1. \*

# Zoology

- Paleontology
- Anthropology
- Petrology

Question Number: 110 Question Id: 2106889516 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Up to what depth below the surface of earth, the Lithosphere is situated?

- 105 km
- 35 km
- 3. **\*** 140 km
- 4. ✓ 70 km

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction
Time: 0
The volcanoes from which excessively gaseous products evolved are called
Options:
Fumaroles  1.
Gaseoles 2. **
Fissures 3. **
4. * Cascades
Question Number: 112 Question Id: 2106889518 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  What is the name of the Minerals which can withstand high temperature?
Options:
Abrasive minerals  1. **
Inductive minerals 2. **
Refractory minerals

# Conductive minerals

Question Number: 113 Question Id: 2106889519 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

Laccoliths, lopoliths and phacoliths are

#### **Options:**

Forms of igneous rocks

Structure of igneous rocks

2. \*\*

3. \* Texture of igneous rocks

Minerals of igneous rocks

Question Number: 114 Question Id: 2106889520 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

An unconformity is a plane of

#### **Options:**

Continuity

# Discontinuity

Volcanic activity

Alkalinity

Question Number : 115 Question Id : 2106889521 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0


From which time period, the prominent life started?

#### **Options:**

- Precambrian
- 2. \* Archaean
- Ordovician
- Cambrian

Question Number: 116 Question Id: 2106889522 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The lowest admissible limit of metallic content of an ore is known as its



Question Number: 118 Question Id: 2106889524 Display Question Number: Yes Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

Find the one from below that has high porosity and permeability

#### Options:

Sandstone

Shale

3. \* Clay

Sand Sand

Question Number: 119 Question Id: 2106889525 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In Bord & Pillar mining, splitting is generally required in seams of depth beyond

#### **Options:**

75 mts

85 mts

3. ✓ 100 mts

90 mts

Question Number: 120 Question Id: 2106889526 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The gradient of crosscut equipped with direct rope haulage in an inclined seam should

not be less than \_\_\_\_\_.

#### **Options:**

1 in 25

2. 1 in 12

3. × 1 in 30

4. × 1 in 18

Question Number: 121 Question Id: 2106889527 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

What is the applicable inclination of seams, in which Longwall mining method is

adopted?

# Options:

20° to 45°

Question Number: 122 Question Id: 2106889528 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the name of the extended portion of gate roads slightly beyond the face in

Longwall advancing for easy maneuvering of shearer?

## Options:

Pack walls

Level

Stable 3.

Connection Gallery

Question Number: 123 Question Id: 2106889529 Display Question Number: Yes Is Question

# Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

#### Time: 0

What is gap to be maintained between Longwall working face and pack walls for safe

working?

#### Options:

$$3 - 6 \text{ m}$$

$$_{3.}$$
 \*  $7-10 \text{ m}$ 

$$_{4.}$$
 ×  $2-3$  m

Question Number: 124 Question Id: 2106889530 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

What is the percentage of extraction in Bord & Pillar development, if the size of pillar is

22 mts (width) x 22 mts (breadth) and the galleries are 4.2 mts wider?

Question Number: 125 Question Id: 2106889531 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Which of the following is used in slicing methods of descending order?

#### **Options:**

- Wooden planks laying
- Wire netting
- Stowing goaf
- Only timbering

Question Number: 126 Question Id: 2106889532 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Friction props are generally set in rows for supporting in slicing methods. What is the

distance between row to row of props?

# Options:

1.25 m

2. \* 1 m

3. **\*** 2.5 m

4. \* 2 m

Question Number: 127 Question Id: 2106889533 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Upto what distance, the supports are erected from the face in Blasting Gallery method?

#### Options:

55 m

32 m

30 m

40 m

Question Number: 128 Question Id: 2106889534 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

In which method of mining, the establishing linkages between bore wells activity adopted?

#### **Options:**

- Hydraulic mining
- Underground Coal gasification
- Horizon mining
- Sub-level caving

Question Number : 129 Question Id : 2106889535 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Mono rails are used in which of the following raising method?

- Three compartmental raising method
- Alimak raise climber method
- Two compartmental raising method

# Jora hoist raise method

Question Number: 130 Question Id: 2106889536 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the percentage of ore that can be withdrawn during stope working and rest of ore is used for temporary supporting in shrinkage stoping method?

#### **Options:**

Question Number: 131 Question Id: 2106889537 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Subsidence can be prevented by which stoping method?

# Over hand stoping method

- Underhand stoping method
- Cut and fill stoping method
- Breast stoping method

Question Number: 132 Question Id: 2106889538 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

In sublevel caving, the ore body is divided by sublevels with vertical spacing.

$$6-8 \text{ m}$$

Time: 0
Time. 0
Which type of sampling method is preferred for sampling in 2500 sq.kms area of Bauxite deposit?
Options:
Chip sampling
Random sampling
Grab sampling
Bulk sampling
Question Number: 134 Question Id: 2106889540 Display Question Number: Yes Is Question  Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction  Time: 0
The ratio of mass of water vapor per m <sup>2</sup> of air to mass of water vapor required to saturate
The ratio of mass of water vapor per m <sup>3</sup> of air to mass of water vapor required to saturate one m <sup>3</sup> of air is known as
one m <sup>3</sup> of air is known as  Options:
one m <sup>3</sup> of air is known as
one m <sup>3</sup> of air is known as  Options:

Water vapor Question Number: 135 Question Id: 2106889541 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Which of the following is not an oxidizing agent in explosives? **Options:** Sodium Nitrate Potassium Chloride Calcium Carbonate Ammonium Perchlorate Question Number: 136 Question Id: 2106889542 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 When the part of explosive charge remains unblasted in the drill hole even after blasting such charge of hole is known as . **Options:** Blown out shot

→ SUCKCI
Blown through shot
Hang fire
Question Number: 137 Question Id: 2106889543 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  What is the name of the narrow opening in mine workings through which ore is loaded in
to mine cars?
Options:  Ore pass  1. **
Ore bin 2. **
Chute 3. ✓
Gate 4. *

Saalzat

Question Number: 138 Question Id: 2106889544 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

#### Time: 0

What is the applicable inclination for adoption of Sub-level stoping method in metal mining?

#### Options:

- Below 15°
- 85° − 90°
- 40° − 85°
- 4. **≈** 20° − 35°

Question Number: 139 Question Id: 2106889545 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Which type of centrifugal fan is designed to eliminate end thrust on fan shaft?

- Backward bladed
- Radial bladed
- Forward bladed
- 4. \* Axial bladed

Question Number: 140 Question Id: 2106889546 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

What is the manometric efficiency of air screw fan?

#### **Options:**

Question Number: 141 Question Id: 2106889547 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The depths of both upcast and downcast shafts are same and 465 mts. The temperature in upcast shaft and downcast shaft are 37°C and 30°C respectively. Then what is the height of Motive Column?

Question Number: 142 Question Id: 2106889548 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What type of ventilation system is especially used in ventilating sinking shaft?

#### **Options:**

Exhausting


Combination of forcing & exhausting 2. \*

Reversible

4. Forcing

Question Number: 143 Question Id: 2106889549 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0



Question Number: 145 Question Id: 2106889551 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

At what percentage of methane, a triangular cap with sharp apex of 12 mm height is formed in Flame safety lamp?

#### **Options:**


Question Number: 146 Question Id: 2106889552 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In P.S. Detector, the light yellow color in glass tube turns into which of the following color when exposed to Carbon Monoxide?

# Options:

Shades of Green

2. 🌯



# Options:

1. \* 1.0


0.02

0.2 3. **≈** 

4. • 0.12

Question Number: 149 Question Id: 2106889555 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In Coward's diagram of methane explosibility, all the mixtures lying \_\_\_\_\_ are neither explosive nor capable of forming explosive mixture with air.



# Options:

Within XYZ

1. \*\*

Right side to PYZ

left side to PYX

above the line XZ

#### Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

#### Time: 0

Gas mask can be used to support life of wearer in an environment containing which

percent of Carbon Monoxide?

#### Options:

- more than 2%
- less than 2%
- exactly 3%
- 4. \* more than 3%

Question Number: 151 Question Id: 2106889557 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the lowest temperature at which, fine dry coal dust cloud can be ignited and cause flame to travel through dust air mixture?

- 600-700 °C
- 2. **▼** 900-1000 °C

×	850-950 °C

700-800°C

Question Number : 152 Question Id : 2106889558 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Which of the following is the miner's disease caused by inhalation of iron dust?

#### **Options:**

- Pneumoconiosis
- 2. Silicosis
- Siderosis
- Asbestosis

Question Number: 153 Question Id: 2106889559 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

CO<sub>2</sub> extinguisher consists of a cylinder having up to 5 kgs of Carbon Dioxide in liquefied

form under pressure of kg/cm<sup>2</sup>.

# Options:

105

2. \* 88

3. \* 90.5

4. 70

Question Number: 154 Question Id: 2106889560 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

No working should be carried out when it approaches with in a distance of \_\_\_\_\_\_ meters from water logged area of same mine or adjoining mine.

#### **Options:**

50

2. 🗸 60

45

4. \* 75

Question Number: 155 Question Id: 2106889561 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The length of a line measured by means of a 20 m chain was found to be 610.2 m known

to be 608.0 m. What was the actual length of the chain?

#### **Options:**

20.066 m

1. 💥

20.012 m

19.906 m

19.928 m


Question Number: 156 Question Id: 2106889562 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What will be the Quadrantal bearing of a line whose whole circle bearing is 236°25'?

Question Number: 157 Question Id: 2106889563 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The true bearing of a line is 3260 and the magnetic declination is 80 E. Find the magnetic

bearing of the line.




$$1/2000^{th}$$

3. 🤻

4. 3

Question Number: 160 Question Id: 2106889566 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

According to the diagram, CD is the line of known azimuth of surface base. Then, the azimuth of plumb line BA = \_\_\_\_\_.



#### Options:

Azimuth of CD + 
$$\angle$$
DCA +  $\angle$ BCA

Azimuth of CB +  $\angle$ CAB +  $\angle$ BCA

3. 🕷

Azimuth of CB +  $\angle$ CAB +  $\angle$ DCA

Question Number: 161 Question Id: 2106889567 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

Which one among the following comes under temporary adjustments of a theodolite?

#### **Options:**

Plate level adjustment

1. \*\*

Elimination of parallax

Collimation adjustment

3. \*\*

Vertical circle adjustment

4. 💥

Question Number: 162 Question Id: 2106889568 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the type of leveling, in which the relative levels of two and more isolated points are determined without taking intermediate sights and distances between staves?

# **Options:**

Profile leveling

1. 3

Fly leveling

Compound leveling

Reciprocal leveling

Question Number : 163 Question Id : 2106889569 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If the horizontal distance between the staff point and the point of observation is d, then

the correction for curvature of earth is proportional to the following one.

#### Options:

1. \* d

2. **\*** 1/d

3. d<sup>2</sup>

 $1/d^2$ 

Question Number: 164 Question Id: 2106889570 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

# Time: 0 When contour lines touch one another at a particular zone, it indicates which of the following? Options: Level surface Vertical cliff Horizontal surface 4. \* Inclined surface Question Number: 165 Question Id: 2106889571 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 An analytic lens is provided to make the additive constant equal to **Options:** 100 2. 🗸 0

3. \* 90

1	36	

Question Number: 166 Question Id: 2106889572 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The stadia markings are made on the following part of survey instrument.

#### **Options:**

- Eyepiece
- Diaphragm 2. ✔
- Object glass
- Concave lens

Question Number: 167 Question Id: 2106889573 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The diameter of the groove of the head gear pulley is \_\_\_\_\_\_ of the rope diameter of locked coil ropes.

# Options:

105%

Question Number: 168 Question Id: 2106889574 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the arc of contact of winding rope with grooved renewable friction lining of

electrically driven sheave?

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 The tensioning weight in flexible guides is for every 100 meters depth in case of deep shafts. **Options:** 

1.5 kN

10 kN

3. **\*** 12 kN

5 kN 4. ✔

Question Number: 170 Question Id: 2106889576 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Within how much percentage of cross-section area of shaft, the rigid guides are to be erected?

# **Options:**

1. \* 35%

20%

30%

4. \* 25%

Question Number: 171 Question Id: 2106889577 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the type of rope suitable for haulage system in underground mines?

#### **Options:**

1. \*

Half locked coil

Full locked coil

Lang's lay

Ordinary lay

Question Number: 172 Question Id: 2106889578 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

A locomotive shall not be used where gradient of track exceeds

# Options:

1 in 10

1 38

- 1 in 15
- 1 in 11
- 1 in 9

Question Number: 173 Question Id: 2106889579 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Which one of the following is the function of snub pulley in a belt conveyor system?

#### **Options:**

- Clean inner surface of the belt
- Clean outer surface of the belt
- Increase angle of contact of the belt with drive drum
- Increase belt tension

Question Number: 174 Question Id: 2106889580 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

# Time: 0 With what purpose, the Jazz rails are provided in haulage road? **Options:** To Prevent tubs running backward 1. \* To Prevent tubs running out of control To Reduce speed of moving tubs To Prevent runaway of tub in forward direction Question Number: 175 Question Id: 2106889581 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 In which type of haulage system, the Run away switch is used? **Options:** Gravity haulage Direct haulage

Main and tail haulage

# Endless haulage

Question Number: 176 Question Id: 2106889582 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the percentage of Iron in wire ropes?

#### **Options:**

Question Number: 177 Question Id: 2106889583 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The vertical distance between the liquid level and the free discharge level of the liquid is called as

# Options:

Static head

Suction head

2. \*

3. ✓ Total static head

Delivery head

Question Number: 178 Question Id: 2106889584 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What part in turbine pump should be shorter for its effective running?

# **Options:**

Suction pipe

Balancing disc

Delivery pipe

Diffusers

Question Number: 179 Question Id: 2106889585 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In which type of rocks, the angle of slope of bench 70° to 85° is maintained?

# **Options:**

1. 🛎	Weathered rocks
2. *	Friable rocks
3. 🗱	Soft clay
4. 🗸	Competent rocks
Question Number : 180 Question Id : 2106889586 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0	
The a	angle of slope of bench should be that of angle of repose of rock
mater	rial of the bench.
Options :	
1. 🗸	Equal to or less than
2. 🗱	More than
3. 🗱	Less than
4. 🗱	Equals to

Question Number: 181 Question Id: 2106889587 Display Question Number: Yes Is Question	
Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction	
Time: 0	
What is the digging depth of a big Bucket Wheel Excavator below its floor level?	
Options:	
70 m	
2. * 55 m	
3.   ✓ 25 m	
4. <b>*</b> 45 m	
Question Number : 182 Question Id : 2106889588 Display Question Number : Yes Is Question	
Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction	
Time: 0	
The quantity of explosive required to break one cubic meter of strata or Yield per Kg of	
Explosive is called	
Options:	
Specific energy	
1. **	
Powder factor	
2. 🗸	

Specific consumption

3. 4

4. \* Power factor

Question Number: 183 Question Id: 2106889589 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the threshold limit of airborne respirable dust fixed by DGMS?

#### **Options:**

$$1.5 \text{ mg/m}^3$$

Question Number: 184 Question Id: 2106889590 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the type of surface mine bench failure that happens due to two intersecting discontinuities?

# Options:

```
1. ✓ Wedge failure
     Planar failure
3. * Circular failure
     Toppling failure
Question Number: 185 Question Id: 2106889591 Display Question Number: Yes Is Question
Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction
Time: 0
Which of the following forces cause mountain formations?
Options:
Tectonic forces
    Residual forces
Orogenic forces
    Thermic origin forces
```

Question Number: 186 Question Id: 2106889592 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 What is the scale number of Topaz in Mohs hardness Scale? **Options:** 1. 🗸 8 2. \* 9 Question Number: 187 Question Id: 2106889593 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Which of the following is measured with Convergence recorder? Options: Stress 2. V Strain Load 3. \*

4. \* Fault

Question Number: 188 Question Id: 2106889594 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

In subsidence, what is the angle between limit line and vertical line?

#### **Options:**

Angle of subsidence

1. 🗱

Angle of draw

Angle of fracture initiation

Angle of breakage

Question Number: 189 Question Id: 2106889595 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

Chocks are the type of supports used in severe bad roof conditions. Which of the

following dimensions of sleeper piece in chock supports?

# **Options:**

```
10cm x 10cm x 120cm
1. 🗸
     15cm x 15cm x 100cm
      10cm x 10cm x 100cm
     15cm x 10cm x 120cm
4. *
Question Number: 190 Question Id: 2106889596 Display Question Number: Yes Is Question
Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction
Time: 0
In pressure arch theory, in which zone the heaving up of floor with no bed separation takes place?
Options:
     Zone-5
     Zone-1
     Zone-4
4. * Zone-2
```

Question Number: 191 Question Id: 2106889597 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 The first aid room shall be in charge of a whole time medical practitioner where the number of persons ordinarily employed in a mine is more than \_\_\_\_\_ as per Mine Rules, 1955. **Options:** 1000 1200 3. \* 800 500

Question Number : 192 Question Id : 2106889598 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

As per Coal Mines Regulations, 1957, in which form, the Notice of accident is given?

# **Options:**

FORM-I D

FORM-IV A

FORM-IV B

FORM-IV C

Question Number: 193 Question Id: 2106889599 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the Minimum age for a person to be appointed as competent person as per Coal

Mines Regulations, 1957?

#### **Options:**

18 Years

20 Years

3. **\*** 21 Years

22 Years

Question Number: 194 Question Id: 2106889600 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

As per Coal Mines Regulations, 1957, at what interval are manholes to be provided in a haulage roadway? Options: 10 m 12 m 15 m 17 m Question Number: 195 Question Id: 2106889601 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 As per Industrial Dispute Act, 1947, if a settlement of dispute is arrived at in the course of conciliation proceedings, a report shall be submitted by conciliation officer within from the commencement of conciliation proceedings. **Options:** 15 days 7 days

```
30 days
```

Question Number: 196 Question Id: 2106889602 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Micro organization is a company where the number of employees is

#### **Options:**

Less than 20

Less than 30


Less than 40

Less than 50

4. \*

Question Number: 197 Question Id: 2106889603 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Traits and behavioral theories are regarding



Question Number: 199 Question Id: 2106889605 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 is the model for quality assurance in final inspection and test. **Options:** 1. \* ISO 9004 ISO 9000 ISO 9002 ISO 9003

Question Number: 200 Question Id: 2106889606 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In which year the term "Internet of Things" coined?

# Options:

2000

2. \* 1996

3. \* 2001